Kerabit
Tuotteet

PALOTESTAUSVAKUUTUS
BRANDTEST FÖRSÄKRING
DECLARATION OF FIRE TEST

Kerabit Oy
Rälssitie 6
01510 Vantaa, Finland

Kerabit Oy:n Lohjan tehtaan valmistamat bitumiset Kerabit-kateaineet on testattu ENV 1187 mukaisesti VTT Expert Services Oy palolaboratoriossa ja täyttävät B_{ROOF} (t2) paloluokitusvaatimukset.

Bituminös Kerabit betäckningar producerade av Kerabit Oy Lojo fabrik är testade enligt ENV 1187 i VTT Expert Services Oy brand laboratorium och uppfyller krav för B_{ROOF} (t2) brandklassificering.

Bituminous Kerabit roof waterproofing membranes produced by Kerabit Oy Lohja factory have been tested according to ENV 1187 by VTT Expert Services Oy and they fulfill B_{ROOF} (t2) qualification of classification for fire.

Lohja, 26.6.2023

Janne Hautala
Liiketoimintajohtaja Kerabit Tuotteet / Affärsdirektör Kerabit Produkter / Business Director Kerabit Products

This publication has been reviewed with the utmost care. However, we are not liable for any direct or indirect damages resulting from errors or the incorrect application of the information contained herein. We reserve the right to make changes. The latest version of this document is available at kerabit.fi/tuotteet.